

## Transient Tachypnea of the Newborn (TTN)

Rapid breathing in a full-term newborn (more than 60 breaths a minute) is called transient tachypnea. Until about 4 hours after the delivery, this can actually be normal. But after that, doctors start to look for a cause, such as pneumonia, a blood infection, or problems with the lungs, including underdevelopment. Blood tests and X-rays can help diagnose the underlying condition.

### How is it treated?

Babies are helped to breathe or receive oxygen if needed, and NICU staff closely watches their oxygen levels.

### How long will my baby be in the NICU?

A stay of 24 to 72 hours is normal while NICU staff monitor the baby's condition.

## تسرع التنفس العابر عند الوليد

يعرف " تسرع التنفس العابر عند الوليد تام الحمل " بأنه زيادة عدد مرات التنفس إلى أكثر من ٦٠ مرة بالدقيقة. ويعد ذلك مقبولا لمدة ٤ ساعات بعد الولادة. أما لو استمر الأمر لأكثر من ٤ ساعات فيجب على الطبيب البحث عن تشخيص آخر كذات الرئة أو إنتان الدم أو مشاكل رئوية أخرى كنقص تطور الرئة. ويمكن الاستعانة ببعض الفحوص المخبرية والشعاعية للتوصل إلى التشخيص.

### العلاج:

قد يحتاج الوليد بعض المساعدة بالأكسجين مع المراقبة المكثفة لمستوى الأوكسجين بالدم .

### الفترة الزمنية التي يقضيها الوليد بالعناية المركزة:

تتراوح بين ٢٤ - ٧٢ ساعة يتم فيها مراقبة الطفل بواسطة طاقم الوحدة .